

Qu	Qu	Undifferentiated Quaternary alluvium and shallow marine deposits
QTfu	QTfu	Upper member of the Fernando Formation ("Pico" equivalent, late Pliocene to early Pleistocene, Venturian to Wheelerian stages)
Tfl	Tfl	Lower member of the Fernando Formation ("Repetto" equivalent, early to middle Pliocene, Repettian stage).
Tp / Tpss	Tp	Puente Formation (Modello Formation equivalent, late middle Miocene, late Miocene and possibly earliest Pliocene, Mohnian and Delmontian stages
	Tpss	Sandstone Facies
Tt	Tt	Undifferentiated Topanga Group (equivalent to Topanga Fm and lowermost Monterey Fm, Relizian and Luisian stages).
TKu	TKu	Undifferentiated Upper Cretaceous to lower Miocene strata

Mzcs, Mzb, Mzgr, pCgn

Mzcs	Catalina Schist (Jurassic to early Cretaceous)
Mzb	Undifferentiated crystalline basement including Late Jurassic Santa Monica Slate, Mesozoic age granitic rocks, and various metaigneous and metasedimentary rocks belonging to the Mesozoic age Bedford Canyon Fm and Santiago Peak volcanics of the Santa Ana Mtns.
Mzgr	Mesozoic age granitic rocks
pCgn	Precambrian gneiss

DAVIS • NAMSON
CONSULTING GEOLOGISTS
3916 Foothill Blvd., Suite B, La Crescenta, CA, 91214
Ph.(818) 248-2141, Fax (818) 248-1957 email:davisnamhon@aol.com,
www.davisnamson.com

Southern California Cross Section Study
Cross-Section 13-13'

Plate XIII. 1:96,000 scale (1"=8000')

Date: Nov., 1998

Geology: J. Namson & T. Davis

Computer Drafting by: Geoff Gallant